Form Approved OMB No. 2137-0522 Expires: 10/31/2017



U.S. Department of Transportation Pipeline and Hazardous Materials Safety Administration

ANNUAL REPORT FOR CALENDAR YEAR 2016 NATURAL OR OTHER GAS TRANSMISSION and GATHERING SYSTEMS

Initial Date Submitted	03/07/2017
Report Submission Type	INITIAL
Date Submitted	

A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2137-0522. Public reporting for this collection of information is estimated to be approximately 22 hours per response, including the time for reviewing instructions, gathering the data needed, and completing and reviewing the collection of information. All responses to this collection of information are mandatory. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, PHMSA, Office of Pipeline Safety (PHP-30) 1200 New Jersey Avenue, SE, Washington, D.C. 20590.

Important: Please read the separate instructions for completing this form before you begin. They clarify the information requested and provide specific examples. If you do not have a copy of the instructions, you can obtain one from the PHMSA Pipeline Safety Community Web Page at http://www.phmsa.dot.gov/pipeline/library/forms.

PART A - OPERATOR INFORMATION	DOT USE ONLY	20175469 - 32364			
OPERATOR'S 5 DIGIT IDENTIFICATION NUMBER (OPID) 22462	2. NAME OF OPERATOR: WESTERN GAS INTERSTATE CO IF SUBSIDIARY, NAME OF PARENT: West Texas Gas				
3. RESERVED	4. HEADQUARTERS 211 NORTH COLOR Street Address MIDLAND City State: TX Zip Code: 7	RADO			

5. THIS REPORT PERTAINS TO THE FOLLOWING COMMODITY GROUP: (Select Commodity Group based on the predominant gas carried and complete the report for that Commodity Group. File a separate report for each Commodity Group included in this OPID.)

Natural Gas

- 6. RESERVED
- 7. FOR THE DESIGNATED "COMMODITY GROUP", THE PIPELINES AND/OR PIPELINE FACILITIES INCLUDED WITHIN THIS OPID ARE: (Select one or both)

INTERstate pipeline – List all of the States and OSC portions in which INTERstate pipelines and/or pipeline facilities included under this OPID exist. **OKLAHOMA, TEXAS** etc.

INTRAstate pipeline – List all of the States in which INTRAstate pipelines and or pipeline facilities included under this OPID exist. etc.

8. RESERVED

For the designated Commodity Group, complete PARTs B, C, D, and E one time for all pipelines and/or pipeline facilities – both INTERstate and INTRAstate - included within this OPID.

PART B – TRANSMISSION PIPELINE HCA MILES						
	Number of HCA Miles					
Onshore	0					
Offshore	0					
Total Miles	0					

PART C - VOLUME TRANSPORTED IN TRAN PIPELINES (ONLY) IN MILLION SCF PER YEA (excludesTransmission lines of Gas Distribu	AR	Check this box and do not complete PART C if this report only includes gathering pipelines or transmission lines of gas distribution systems.				
		Onshore	Offshore			
Natural Gas		5091				
Propane Gas						
Synthetic Gas						
Hydrogen Gas						
Landfill Gas						
Other Gas - Name:						

PART D - MILES OF S	PART D - MILES OF STEEL PIPE BY CORROSION PROTECTION										
		athodically tected		Steel Cathodically unprotected							
	Bare	Coated	Bare	Coated	Cast Iron	Wrought Iron	Plastic	Composite ¹	Other	Total Miles	
Transmission											
Onshore	134.0 49	102.308	0	0	0	0	0	0	0	236.357	
Offshore	0	0	0	0	0	0	0	0	0	0	
Subtotal Transmission	134.0 49	102.308	0	0	0	0	0	0	0	236.357	
Gathering											
Onshore Type A	0	0	0	0	0	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	0	0	0	0	0	
Offshore	0	0	0	0	0	0	0	0	0	0	
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0	
Total Miles	134.0 49	102.308	0	0	0	0	0	0	0	236.357	

¹Use of Composite pipe requires a PHMSA Special Permit or waiver from a State

PART E - Reserved. Data for Part E has been merged into Part D for 2010 and 2011 Annual Reports.

For the designated Commodity Group, complete PARTs F and G one time for all INTERstate pipelines and/or pipeline facilities included within this OPID and multiple times as needed for the designated Commodity Group for each State in which INTRAstate pipelines and/or pipeline facilities included within this OPID exist. Each time these sections are completed, designate the State to which the data applies for INTRAstate pipelines and/or pipeline facilities, or that it applies to all INTERstate pipelines included within this Commodity Group and OPID.

PARTs F and G

The data reported in these PARTs for the designated Commodity Group, complete PARTs F and G one time for all INTERstate pipelines and/or pipeline facilities included within this OPID and multiple times as needed for the designated Commodity Group for each State in which INTRAstate pipelines and/or pipeline facilities included within this OPID exist. Part F "WITHIN AN HCA SEGMENT" data and Part G may be completed only if HCA Miles in Part L is greater than zero applies to: (select only one)

pipelines/pipeline facilities	
1. MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS	
a. Corrosion or metal loss tools	
b. Dent or deformation tools	
c. Crack or long seam defect detection tools	
d. Any other internal inspection tools, specify other tools:	
Internal Inspection Tools - Other	
e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	
2. ACTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS	
Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation.	
b. Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	
c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
3. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING	
a. Total mileage inspected by pressure testing in calendar year.	
b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment.	
c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	
d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT.	
4. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods)	
a. Total mileage inspected by each DA method in calendar year.	
1. ECDA	
2. ICDA	
3. SCCDA	
b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	
1. ECDA	

	Expires: 10/31/2017
2. ICDA	
3. SCCDA	
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
5. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIQUE	JES
a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	
1.Other Inspection Techniques	
 Total number of anomalies identified by other inspection techniques and repaired in calendar year based on th operator's criteria, both within an HCA Segment and outside of an HCA Segment. 	е
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933©]	
6. TOTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR	
a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	
b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA Segment. (Lines 2.b $+$ 3.b $+$ 4.b.1 $+$ 4.b.2 $+$ 4.b.3 $+$ 5.b)	
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.3 2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4)	+
d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT:	
e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT:	
PART G- MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HCA ONLY)	Segment miles
a. Baseline assessment miles completed during the calendar year.	
b. Reassessment miles completed during the calendar year.	
c. Total assessment and reassessment miles completed during the calendar year.	

For the designated Commodity Group, complete PARTS H, I, J, K, L, M, P Q and R covering INTERstate pipelines and/or pipeline facilities for each State in which INTERstate systems exist within this OPID and again covering INTRAstate pipelines and/or pipeline facilities for each State in which INTRAstate systems exist within this OPID.

exist with	in this OPIL	D.									
PARTs H, I,	J, K, L, M,	P, Q, and R									
The data re	ported in th	ese PARTs	s applies to	: (select o	only one)						
INTERSTAT	E pipelines	s/pipeline fa	acilities OK	LAHOMA							
PART H - M	ILES OF TR	RANSMISSI	ON PIPE B	Y NOMINA	L PIPE SIZE	E (NPS)					
	NPS 4 or less	6	8	10	12	14	16	18	20		
	113.059	18.019	17.221	0	0	0	0	0	0		
	22	24	26	28	30	32	34	36	38		
6	0	0	0	0	0	0	0	0	0		
Onshore	40	42	44	46	48	52	56	58 and over			
	0	0	0	0	0	0	0	0			
	Additional Sizes and Miles (Size – Miles;): 5 - 20.434; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;										
168.733		of Onshore Pip	e – Transmissi	on							
	NPS 4 or less	6	8	10	12	14	16	18	20		
	22	24	26	28	30	32	34	36	38		
Offshore	40	42	44	46	48	52	56	58 and over			
	Additional Sizes and Miles (Size – Miles;): -; -; -; -; -; -; -; -;										
	Total Miles of	of Offshore Pip	e – Transmissi	on							
PART I - MII	LES OF GA	THERING F	PIPE BY NO	MINAL PIF	PE SIZE (NF	PS)					
	NPS 4 or less	6	8	10	12	14	16	18	20		
Onshore	0	0	0	0	0	0	0	0	0		
Type A	22	24	26	28	30	32	34	36	38		
	0	0	0	0	0	0	0 58 8	0 and	0		
	40	42	44	46	48	52	56 ove				

	ā								Ехріго	5. 10/31/2017	
	0	0	0	0	0	0	0	0			
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;										
0	Total Miles o	of Onshore Typ	e A Pipe – Ga	thering							
	NPS 4 or less	6	8	10	12	14	16		18	20	
	0	0	0	0	0	0	0		0	0	
	22	24	26	28	30	32	34		36	38	
Onshore	0	0	0	0	0	0	0		0	0	
Type B	40	42	44	46	48	52	56	58 ar over	nd		
	0	0	0	0	0	0	0	0			
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;										
0	Total Miles o	of Onshore Typ	e B Pipe – Ga	thering							
	NPS 4 or less	6	8	10	12	14	16		18	20	
	22	24	26	20	30	22	34		26	20	
	22	24	20	28	30	32	34		36	38	
Offshore								58 ar	nd		
	40	42	44	46	48	52	56	over	14		
	Additional Sizes and Miles (Size – Miles;): -; -; -; -; -; -; -;										
	Total Miles o	of Offshore Pipe	e – Gathering								
	•										

PART J - MILES OF PIPE BY DECADE INSTALLED

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	120.316	0	0	3.535	.026
Offshore		0				
Subtotal Transmission	0	120.316	0	0	3.535	.026
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore		0				
Subtotal Gathering	0	0	0	0	0	0
Total Miles	0	120.316	0	0	3.535	.026
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019		Total Miles
Transmission						
Onshore	2.03	28.2	8.279	6.347		168.733
Offshore						0
Subtotal Transmission	2.03	28.2	8.279	6.347		168.733
Gathering						

Form Approved OMB No. 2137-0522 Expires: 10/31/2017

Onshore Type A	0	0	0	0	0
Onshore Type B	0	0	0	0	0
Offshore					0
Subtotal Gathering	0	0	0	0	0
Total Miles	2.03	28.2	8.279	6.347	168.733

010100		Total Miles			
ONSHORE	Class I	Class 2	Class 3	Class 4	
Steel pipe Less than 20% SMYS	150.268	7.034	7.499	0	164.801
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	2.693	.49	.749	0	3.932
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	0	0	0	0	0
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	0	0	0	0	0
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	0	0	0	0	0
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	0	0	0	0	0
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0
Steel pipe Greater than 80% SMYS	0	0	0	0	0
Steel pipe Unknown percent of SMYS	0	0	0	0	0
All Non-Steel pipe	0	0	0	0	0
Onshore Totals	152.961	7.524	8.248	0	168.733
OFFSHORE	Class I				
Less than or equal to 50% SMYS					
Greater than 50% SMYS but less than or equal to 72% SMYS					
Steel pipe Greater than 72% SMYS					
Steel Pipe Unknown percent of SMYS					
All non-steel pipe					
Offshore Total					
Total Miles	152.961				168.733

PART L - MILES OF PIPE BY CLASS LOCATION

174K1 E 1011EE 0 01 1 1		200/111011				
		Class L	Total Class Location	HCA Miles in the IMP		
	Class I	Class 2	Class 3	Class 4	Miles	Program
Transmission						
Onshore	152.961	7.524	8.248	0	168.733	0
Offshore						
Subtotal Transmission	152.961	7.524	8.248	0	168.733	
Gathering						

Form Approved OMB No. 2137-0522 Expires: 10/31/2017

Onshore Type A						
Onshore Type B						
Offshore						
Subtotal Gathering						
Total Miles	152.961	7.524	8.248	0	168.733	0

PART M - FAILURES, LEAKS, AND REPAIRS

PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR

		Transmission Leaks, and Failures					Gathering	g Leaks
		Lea	ks		Failures in	Onshor	e Leaks	Offshore Leaks
	Onsh	ore Leaks	Offsh	ore Leaks	HCA			
Cause	HCA	Non-HCA	HCA	Non-HCA	Segments	Type A	Type B	
External Corrosion	0	0	0	0	0			
Internal Corrosion	0	0	0	0	0			
Stress Corrosion Cracking	0	0	0	0	0			
Manufacturing	0	0	0	0	0			
Construction	0	0	0	0	0			
Equipment	0	4	0	0	0			
Incorrect Operations	0	0	0	0	0			
Third Party Damage/Mecha	anical Da	amage	-			=		
Excavation Damage	0	0	0	0	0			
Previous Damage (due to Excavation Activity)	0	0	0	0	0			
Vandalism (includes all Intentional Damage)	0	0	0	0	0			
Weather Related/Other Ou	tside Fo	rce						
Natural Force Damage (all)	0	0	0	0	0			
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)	0	0	0	0	0			
Other	0	0	0	0	0			
Total	0	4	0	0	0			

PART M2 - KNOWN SYSTEM LEAKS AT END OF YEAR SCHEDULED FOR REPAIR

Transmission		Gathering					
PART M3 – LEAKS ON FEDER	AL LAND OR O	CS REPAIRED OR SCHEDU	JLED FOR REPAIR				
Transmission		Gathering					
		Onshore Type A					
Onshore		Onshore Type B					
OCS		OCS					

Total

Subtotal Transmission

Subtotal Gathering

PART P - MILES OF	PIPE BY	MATERIAL	AND CORF	ROSION PR	OTECTION	STATUS				
		thodically ected		Steel Cathodically unprotected						
	Bare	Coated	Bare	Coated	Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles
Transmission										
Onshore	112.54 7	56.186	0	0	0	0	0	0	0	168.733
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	112.5 47	56.186	0	0	0	0	0	0	0	168.733
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0		0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	112.5 47	56.186	0	0	0	0	0	0	0	168.733

¹Use of Composite pipe requires PHMSA Special Permit or waiver from a State ²specify Other material(s):

	(a)(1) Total	(a)(1) Incomplete Records	(a)(2) Total	(a)(2) Incomplete Records	(a)(3) Total	(a)(3) Incomplete Records	(a)(4) Total	(a)(4) Incomplete Records	(c) Total	(c) Incomplete Records	(d) Total	(d) Incomplete Records	Other ¹ Total	Other Incomplete Records
Class 1 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 1 (not in HCA)	0		66.17 5		0		86.78 5		0		0		0	
Class 2 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 2 (not in HCA)	0		4.597		0		2.927		0		0		0	
Class 3 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 3 (not in HCA)	0	0	8.23	6.778	0	0	.018	.018	0	0	0	0	0	0
Class 4 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 4 (not in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total	0	0	79.00 2	6.778	0	0	89.73	.018	0	0	0	0	0	0
Grand Total	rand Total													
Sum of Total row		6.796												

¹Specify Other method(s):

Class 1 (in HCA)	Class 1 (not in HCA)	
Class 2 (in HCA)	Class 2 (not in HCA)	
Class 3 (in HCA)	Class 3 (not in HCA)	
Class 4 (in HCA)	Class 4 (not in HCA)	

	PT ≥ 1.	25 MAOP	1.25 MAOF	P > PT ≥ 1.1 MAOP	PT < 1.1 or No PT		
Location	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	
Class 1 in HCA	0	0	0	0	0	0	
Class 2 in HCA	0	0	0	0	0	0	
Class 3 in HCA	0	0	0	0	0	0	
Class 4 in HCA	0	0	0	0	0	0	
in HCA subTotal	0	0	0	0	0	0	
Class 1 not in HCA	0	66.175	0	0	0	86.785	
Class 2 not in HCA	0	4.597	0	0	0	2.927	
Class 3 not in HCA	0	8.23	0	0	0	.018	
Class 4 not in HCA	0	0	0	0	0	0	
not in HCA subTotal	0	79.002	0	0	0	89.73	
Total	0	79.002	0	0	0	89.73	
PT ≥ 1.25 MAOP Tota	al		79.002	Total Miles Internal In	spection ABLE	0	
1.25 MAOP > PT ≥ 1.	I.25 MAOP > PT ≥ 1.1 MAOP Total			Total Miles Internal In	168.732		
PT < 1.1 or No PT To	tal		89.73		Grand Total	168.732	
		Grand Total	168.732				

PARTs H, I, J, K, L, M, P, Q, and R

The data reported in these PARTs applies to: (select only one)

INTERSTATE pipelines/pipeline facilities TEXAS

PART H - MILES OF TRANSMISSION PIPE BY NOMINAL PIPE SIZE (NPS)

	NPS 4 or less	6	8	10	12	14	16	18	20
	31.995	21.71	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
Onshore	0	0	0	0	0	0	0	0	0
Offshore	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Si	zes and Miles	(Size – Miles;)	:					

5 - 13.919; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;

67.624	Total Miles of	of Onshore Pip	e – Transmissi	on					
	NPS 4 or less	6	8	10	12	14	16	18	20
Offshore									
	22	24	26	28	30	32	34	36	38

			•	•	•		•	EX	olles: 10/31/2017
	40	42	44	46	48	52	56	58 and	
								over	
		izes and Miles ; -; -; -; -;		:					
	Total Miles	of Offshore Pip	e – Transmissi	on					
PART I - MI	LES OF GA	THERING F	PIPE BY NO	OMINAL PIF	PE SIZE (NF	PS)			
	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
Onshore	22	24	26	28	30	32	34	36	38
Гуре А	0	0	0	0	0	0	0	58 and	0
	40	42	44	46	48	52	56	over	
	0	0	0	0	0	0	0	0	
	Additional S	izes and Miles	(Size – Miles;)	: 0 - 0; 0 - 0; 0	- 0; 0 - 0; 0 - 0); 0 - 0; 0 - 0; (0 - 0; 0 - 0;		
0		of Onshore Typ	e A Pipe – Ga	thering					
	NPS 4 or less	6	8	10	12	14	16	18	20
	22	24	26	28	30	32	34	36	38
Onshore Type B	40	42	44	46	48	52	56	58 and over	
								OVCI	
	Additional S	izes and Miles	(Size – Miles;)	: -; -; -; -;	-;-;-;-	. ;	•	•	
	Total Miles	of Onshore Typ	e B Pipe – Ga	thering					
	NPS 4 or less	6	8	10	12	14	16	18	20
	22	24	26	28	30	32	34	36	38
	1	1							
Offshore	40	42	44	46	48	52	56	58 and over	
Offshore	40	42	44	46	48	52	56		
Offshore		42 izes and Miles					56		
Offshore	Additional S		(Size – Miles;)				56		

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	34.836	0	0	22.875	0
Offshore		0				
Subtotal Transmission	0	34.836	0	0	22.875	0
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore		0				
Subtotal Gathering	0	0	0	0	0	0
Total Miles	0	34.836	0	0	22.875	0
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019		Total Miles
Transmission						
Onshore	7.614	0	0	2.299		67.624
Offshore						0
Subtotal Transmission	7.614	0	0	2.299		67.624
Gathering						
Onshore Type A	0	0	0	0		0
Onshore Type B	0	0	0	0		0
Offshore						0
Subtotal Gathering	0	0	0	0		0
Total Miles	7.614	0	0	2.299		67.624

ONCHORE		Total Miles			
ONSHORE	Class I	Class 2	Class 3	Class 4	
Steel pipe Less than 20% SMYS	56.315	0	2.871	0	59.186
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	7.457	0	.981	0	8.438
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	0	0	0	0	0
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	0	0	0	0	0
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	0	0	0	0	0
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	0	0	0	0	0
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0
Steel pipe Greater than 80% SMYS	0	0	0	0	0
Steel pipe Unknown percent of SMYS	0	0	0	0	0
All Non-Steel pipe	0	0	0	0	0
Onshore Totals	63.772	0	3.852	0	67.624

OFFSHORE	Class I
Less than or equal to 50% SMYS	
Greater than 50% SMYS but less than or equal to 72% SMYS	
Steel pipe Greater than 72% SMYS	
Steel Pipe Unknown percent of SMYS	
All non-steel pipe	
Offshore Total	
Total Miles	63.772

PART L - MILES OF PIPE BY CLASS LOCATION

		Class L	Total	HCA Miles in the IMP		
	Class I	Class 2	Class 3	Class 4	Class Location Miles	Program
Transmission						
Onshore	63.772	0	3.852	0	67.624	0
Offshore						
Subtotal Transmission	63.772	0	3.852	0	67.624	
Gathering						
Onshore Type A						
Onshore Type B						
Offshore						
Subtotal Gathering						
Total Miles	63.772	0	3.852	0	67.624	0

PART M - FAILURES, LEAKS, AND REPAIRS

PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR

	Transmission Leaks, and Failures					Gathering Leaks			
		Lea	ks		Failures in	Onshore Leaks		Offshore Leaks	
	Onsho	ore Leaks	Offsh	ore Leaks	HCA				
Cause	HCA	Non-HCA	HCA	Non-HCA	Segments	Type A	Type B		
External Corrosion									
Internal Corrosion									
Stress Corrosion Cracking									
Manufacturing									
Construction									
Equipment									
Incorrect Operations									
Third Party Damage/Mecha	anical Da	amage							
Excavation Damage									
Previous Damage (due to									
Excavation Activity)									
Vandalism (includes all									
Intentional Damage)									
Weather Related/Other Ou	tside Fo	rce							
Natural Force Damage (all)									
Other Outside Force									
Damage (excluding									
Vandalism and all									
Intentional Damage)									
Other									
Total									

PART M2 – KNOWN SYSTEM LEAKS AT END OF YEAR SCHEDULED FOR REPAIR							
Transmission		Gathering					
PART M3 – LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR							
Transmission	1	Gathering					
		Onshore Type A					
Onshore		Onshore Type B					
OCS		OCS					
Subtotal Transmission		Subtotal Gathering					
Total							

PART P - MILES OF	PIPE BY	MATERIAL	AND CORF	ROSION PR	OTECTION	STATUS				
		thodically ected	Steel Cat unpro	hodically tected						
	Bare	Coated	Bare	Coated	Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles
Transmission										
Onshore	21.502	46.122	0	0	0	0	0	0	0	67.624
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	21.50 2	46.122	0	0	0	0	0	0	0	67.624
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0		0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	21.50 2	46.122	0	0	0	0	0	0	0	67.624

 $^{^{1}\}mbox{Use}$ of Composite pipe requires PHMSA Special Permit or waiver from a State $^{2}\mbox{specify Other material(s):}$

	(a)(1) Total	(a)(1) Incomplete Records	(a)(2) Total	(a)(2) Incomplete Records	(a)(3) Total	(a)(3) Incomplete Records	(a)(4) Total	(a)(4) Incomplete Records	(c) Total	(c) Incomplete Records	(d) Total	(d) Incomplete Records	Other ¹ Total	Other Incomplete Records
Class 1 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 1 (not in HCA)	0		1.744		0		62.02 8		0		0		0	
Class 2 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 2 (not in HCA)	0		0		0		0		0		0		0	
Class 3 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 3 (not in HCA)	0	0	2.443	2.443	0	0	1.409	1.409	0	0	0	0	0	0
Class 4 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 4 (not in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total	0	0	4.187	2.443	0	0	63.43 7	1.409	0	0	0	0	0	0
Grand Total								67.624						
Sum of Total row for all "Incomplete Records" columns														

¹Specify Other method(s):

Class 1 (in HCA)	Class 1 (not in HCA)	
Class 2 (in HCA)	Class 2 (not in HCA)	
Class 3 (in HCA)	Class 3 (not in HCA)	
Class 4 (in HCA)	Class 4 (not in HCA)	

Turri Guo Tranon		y 1 1000u.0 1001	i i j i aligo ali	d Internal Inspection	I		
	PT ≥ 1.	25 MAOP	1.25 MAOI	P > PT ≥ 1.1 MAOP	PT < 1.1 or No PT		
Location	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	
Class 1 in HCA	0	0	0	0	0	0	
Class 2 in HCA	0	0	0	0	0	0	
Class 3 in HCA	0	0	0	0	0	0	
Class 4 in HCA	0	0	0	0	0	0	
in HCA subTotal	0	0	0	0	0	0	
Class 1 not in HCA	0	1.744	0	0	0	62.028	
Class 2 not in HCA	0	0	0	0	0	0	
Class 3 not in HCA	0	2.443	0	0	0	1.409	
Class 4 not in HCA	0	0	0	0	0	0	
not in HCA subTotal	0	4.187	0	0	0	63.437	
Total	0	4.187	0	0	0	63.437	
PT ≥ 1.25 MAOP Total			4.187	Total Miles Internal Ins	0		
1.25 MAOP > PT ≥ 1.1 MAOP Total			0	Total Miles Internal Ins	67.624		
PT < 1.1 or No PT To	tal		63.437		Grand Total	67.624	
		Grand Total	67.624				

For the designated Commodity Group, complete PART N one time for all of the pipelines and/or pipeline facilities included within this OPID, and then also PART O if any gas transmission pipeline facilities included within this OPID have Part L HCA mile value greater than zero.

PART N - PREPARER SIGNATURE	
Ray Reed	(806) 358-1321 Telephone Number
Preparer's Name(type or print)	-
Director of IM	
Preparer's Title	-
rreed@westtexasgas.com	
Preparer's E-mail Address	-
PART O - CERTIFYING SIGNATURE (applicable only to PARTs B, F, G, and M1)	
	_ (432) 682-4349
	Telephone Number
Richard Hatchett	
Senior Executive Officer's name certifying the information in PARTs B, F, G, and M as required by 49 U.S.C. 60109(f)	-

President

rhatchett@westtexasgas.com
Senior Executive Officer's E-mail Address

Senior Executive Officer's title certifying the information in PARTs B, F, G, and M as required by 49 U.S.C. 60109(f)